Page 18

CLAIMS: What is claimed is:

- 1. A measuring device that collects depth information from wells.
- 2. The measuring device of claim 1 that has a rolling mechanism that rotates as a sensor tape assembly is lowered and raised in a well. Said rolling mechanism connects to a rotary encoder. Said rotary encoder is connected to electrical components that track and stores the displacement movement distance of the sensor tape assembly.
- 3. The measuring device of claim 1 that has a rolling mechanism that rotates as a sensor tape assembly is lowered and raised in a well. Said rolling mechanism connects to a rotary encoder. Said rotary encoder is connected to electrical components that track and stores the displacement movement distance of the sensor tape assembly. Said electrical components connect to a Global Positioning System (GPS) Receiver to obtain positioning information for the wells.
- 4. The measuring device of claim 1 that has a rolling mechanism that rotates as a sensor tape assembly is lowered and raised in a well. Said rolling mechanism connects to a rotary encoder. Said rotary encoder is connected to

Page 19

electrical components that track and stores the displacement movement distance of the sensor tape assembly. Said electrical components connect to a bar code reading device that obtains identification information from the wells.

- 5. The measuring device of claim 1 that has a rolling mechanism that rotates as a sensor tape assembly is lowered and raised in a well. Said rolling mechanism connects to a rotary encoder. Said rotary encoder is connected to electrical components that track and stores the displacement movement distance of the sensor tape assembly. Said electrical components connect to a Radio Frequency Identification (RFID) reading device that obtains identification information from the wells.
- 6. The measuring device of claim 1 that has a housing that can attach to wells. Said housing has a rolling mechanism that rotates as a sensor tape assembly is lowered and raised in a well. Said rolling mechanism connects to a rotary encoder. Said rotary encoder is connected to electrical components that track and stores the displacement movement distance of the sensor tape assembly.
- 7. The measuring device of claim 1 that has a housing that can attach to wells. Said housing has a rolling

Page 20

mechanism that rotates as a sensor tape assembly is lowered and raised in a well. Said rolling mechanism connects to a rotary encoder. Said rotary encoder is connected to electrical components that track and stores the displacement movement distance of the sensor tape assembly. Said electrical components connect to a Global Positioning System (GPS) Receiver to obtain positioning information for the wells.

- 8. The measuring device of claim 1 that has a housing that can attach to wells. Said housing has a rolling mechanism that rotates as a sensor tape assembly is lowered and raised in a well. Said rolling mechanism connects to a rotary encoder. Said rotary encoder is connected to electrical components that track and stores the displacement movement distance of the sensor tape assembly. Said electrical components connect to a bar code reading device that obtains identification information from the wells.
- 9. The measuring device of claim 1 that has a housing that can attach to wells. Said housing has a rolling mechanism that rotates as a sensor tape assembly is lowered and raised in a well. Said rolling mechanism connects to a rotary encoder. Said rotary encoder is connected to electrical components that track and stores the

Page 21

displacement movement distance of the sensor tape assembly. Said electrical components connect to a Radio Frequency Identification (RFID) reading device that obtains identification information from the wells.